

ウ. 高滝ダム貯水池水質調査結果

①高滝ダム貯水池（坂下橋）

採水地点(水域名)		坂下橋	坂下橋	坂下橋	坂下橋	坂下橋	坂下橋	坂下橋	坂下橋	坂下橋	坂下橋	坂下橋	坂下橋	平均値	最小値	最大値	75%値
採水年月日		H31.4.12	R1.5.9	R1.6.3	R1.7.1	R1.8.1	R1.9.2	R1.10.3	R1.11.20	R1.12.19	R2.1.15	R2.2.26	R2.3.6				
採水時刻		12:00	13:04	11:55	11:50	12:20	12:10	11:35	12:30	11:44	12:40	12:25	12:20				
採水位置		上層	上層	上層	上層	上層	上層	上層	上層	上層	上層	上層	上層				
天候		曇時々雨	曇	晴	曇時々雨	晴	晴	曇	晴	雨	曇	曇時々雨	快晴				
現場	気温	℃	8.2	23.1	25.8	26.8	36.6	35.6	30.0	15.1	8.2	10.2	7.0	14.6	20.1	7.0	36.6
	水温	℃	10.4	18.0	21.2	22.6	28.5	27.8	21.7	14.2	10.7	9.6	9.8	9.8	17.0	9.6	28.5
測定	採取水深	m	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
	全水深	m	3.04	2.45	3.55	2.95	3.10	2.48	3.56	3.62	3.50	3.61	4.50	4.68	3.42	2.45	4.68
項目	流量	m ³ /s													-	-	-
	平均流速	m/s													-	-	-
	透明度	m													-	-	-
生活	透視度	cm	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0
	pH	-	7.9	8.1	8.1	8.0	8.4	8.2	8.4	7.9	7.9	8.0	8.1	7.9	-	7.9	8.4
生活	DO	mg/L	10.8	9.5	10.0	7.0	9.3	6.7	10.8	10.5	11.0	12.2	11.9	11.4	10.1	6.7	12.2
	BOD	mg/L	1.2	1.6	<0.5	0.7	0.6	0.6	0.9	0.8	0.9	2.0	0.8	0.7	0.9	<0.5	2.0
	COD	mg/L	5.4	4.4	3.9	4.6	3.7	4.9	3.5	5.2	2.9	3.3	3.0	3.9	4.1	2.9	5.4
環境	SS	mg/L	5	3	1	3	1	3	1	9	3	6	3	4	4	1	9
	大腸菌群数	MPN/100mL	240	1,300	790	390	490	1,100	270	7,900	1,700	460	2,200	130	1,400	130	7,900
環境	n-ヘキサン抽出物質	mg/L													-	-	-
項目	全窒素	mg/L	1.2	1.6	1.1	1.0	0.92	1.3	1.0	1.2	1.1	1.2	1.2	1.1	1.2	0.92	1.6
	全りん	mg/L	0.14	0.25	0.20	0.17	0.18	0.25	0.17	0.15	0.15	0.17	0.17	0.14	0.18	0.14	0.25
	全亜鉛	mg/L		0.005			0.002					0.003	0.007		0.004	0.002	0.007
項目	直鎖7α&β&γベンゾ[a]ピレン及びその塩	mg/L													-	-	-
	ノニルフェノール	μg/L													-	-	-
健康	大腸菌数	個/100mL	230	240	300	350	2	450	190	1400	410	200	340	120	350	2	1400
	カドミウム	mg/L		<0.0003			<0.0003					<0.0003	<0.0003		<0.0003	<0.0003	<0.0003
	全シアン	mg/L		<0.1			<0.1					<0.1	<0.1		<0.1	<0.1	<0.1
	鉛	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	六価クロム	mg/L		<0.005			<0.005					<0.005	<0.005		<0.005	<0.005	<0.005
	砒素	mg/L		0.001			0.001					0.001	0.001		0.001	0.001	0.001
	総水銀	mg/L		<0.0005			<0.0005					<0.0005	<0.0005		<0.0005	<0.0005	<0.0005
	アルキル水銀	mg/L													-	-	-
	ポリ塩化ビフェニル	mg/L		<0.0005			<0.0005					<0.0005	<0.0005		<0.0005	<0.0005	<0.0005
健康	ジクロロメタン	mg/L		<0.002			<0.002					<0.002	<0.002		<0.002	<0.002	<0.002
	四塩化炭素	mg/L		<0.0002			<0.0002					<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
	1,2-ジクロロエタン	mg/L		<0.0004			<0.0004					<0.0004	<0.0004		<0.0004	<0.0004	<0.0004
	1,1-ジクロロエチレン	mg/L		<0.002			<0.002					<0.002	<0.002		<0.002	<0.002	<0.002
	シス-1,2-ジクロロエチレン	mg/L		<0.004			<0.004					<0.004	<0.004		<0.004	<0.004	<0.004
	1,1,1-トリクロロエタン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	1,1,2-トリクロロエタン	mg/L		<0.0006			<0.0006					<0.0006	<0.0006		<0.0006	<0.0006	<0.0006
	トリクロロエチレン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	テトラクロロエチレン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	1,3-ジクロロプロペン	mg/L		<0.0002			<0.0002					<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
項目	チウラム	mg/L		<0.0006			<0.0006					<0.0006	<0.0006		<0.0006	<0.0006	<0.0006
	シマジン	mg/L		<0.0003			<0.0003					<0.0003	<0.0003		<0.0003	<0.0003	<0.0003
	チオベンカルブ	mg/L		<0.002			<0.002					<0.002	<0.002		<0.002	<0.002	<0.002
	ベンゼン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	セレン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
特殊	硝酸性窒素及び亜硝酸性窒素	mg/L	0.86	1.1	0.93	0.82	0.69	1.1	0.80	0.88	0.92	0.88	1.0	0.87	0.90	0.69	1.10
	亜硝酸性窒素	mg/L	0.03	0.09	0.04	0.06	<0.03	<0.03	0.03	0.03	<0.03	<0.03	<0.03	<0.03	0.04	<0.03	0.09
	硝酸性窒素	mg/L	0.83	1.02	0.89	0.76	0.66	1.10	0.77	0.85	0.89	0.85	0.99	0.84	0.87	0.66	1.10
	ふっ素	mg/L		0.08			0.10					0.09	0.11		0.10	0.08	0.11
	ほう素	mg/L		<0.1			<0.1					<0.1	<0.1		<0.1	<0.1	<0.1
項目	1,4-ジオキサン	mg/L		<0.005			<0.005					<0.005	<0.005		<0.005	<0.005	<0.005
特殊	フェノール類	mg/L		<0.005			<0.005					<0.005	<0.005		<0.005	<0.005	<0.005
項目	銅	mg/L		<0.01			<0.01					<0.01	<0.01		<0.01	<0.01	<0.01
	溶解性鉄	mg/L		0.1			<0.1					0.1	0.1		0.1	<0.1	0.1
	溶解性マンガン	mg/L		0.02			<0.02					<0.02	<0.02		0.02	<0.02	0.02
項目	全クロム	mg/L		<0.02			<0.02					<0.02	<0.02		<0.02	<0.02	<0.02
その他	アンモニア性窒素	mg/L	0.16	0.37	0.09	0.08	0.05	0.06	0.05	0.10	0.11	0.13	0.13	0.19	0.13	0.05	0.37
	りん酸性りん	mg/L	0.129	0.233	0.193	0.164	0.167	0.236	0.155	0.129	0.137	0.159	0.158	0.128	0.166	0.128	0.236
の	塩化物イオン	mg/L	8	9	13	8	11	11	9	10	8	9	10	8	10	8	13
	塩分量	-													-	-	-
他	電気伝導率	mS/m	23	32	35	26	33	34	34	24	30	28	31	24	30	23	35
	MBAS	mg/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
の	全有機炭素(TOC)	mg/L	2.9	2.1	1.8	2.2	2.0	2.2	2.0	3.1	1.5	1.7	1.8	2.2	2.1	1.5	3.1
	溶存有機炭素(DOC)	mg/L	2.6	2.0	1.8	2.2	1.9	2.1	2.0	2.9	1.4	1.6	1.7	1.5	2.0	1.4	2.9
項目	クロロフィルa	μg/L	4	1	2	3	5	2	6	4	3	4	6	3	4	1	6
	溶解性COD	mg/L	4.7	4.1	3.5	4.1	3.4	3.7	3.3	4.8	2.6	2.7	2.8	3.7	3.6	2.6	4.8
目	プランクトン数	個/mL	440	444	218	179	444	180	291	295	312	266	634	407	343	179	634
水道	トリハロメタン生成能	mg/L													-	-	-
水源	クロロホルム生成能	mg/L													-	-	-
監視	ブロモクロロメタン生成能	mg/L													-	-	-
項目	ジブロモクロロメタン生成能	mg/L													-	-	-
	ブromoホルム生成能	mg/L													-	-	-

②高滝ダム貯水池（加茂橋下流部 上層）

採水地点(水域名)		加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋				
採水年月日		H31.4.12	R1.5.9	R1.6.3	R1.7.1	R1.8.1	R1.9.2	R1.10.3	R1.11.20	R1.12.19	R2.1.15	R2.2.26	R2.3.6	平均値	最小値	最大値	75%値
採水時刻		10:53	11:27	11:01	10:57	11:19	11:22	10:50	11:36	11:00	11:30	11:40	11:27				
採水位置		上層	上層	上層	上層	上層	上層	上層	上層	上層	上層	上層	上層				
天候		曇時々雨	曇	晴	曇時々雨	晴	晴	曇	晴	雨	曇	曇時々雨	快晴				
現場測定項目	気温	℃	7.9	23.1	24.9	25.9	34.3	34.8	25.5	14.2	9.1	9.9	7.5	15.8	19.4	7.5	34.8
	水温	℃	12.6	19.6	23.6	24.1	32.4	29.0	25.5	14.7	10.6	8.4	10.6	11.1	18.5	8.4	32.4
	採取水深	m	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
	全水深	m	5.2	5.3	5.2	5.1	4.8	4.5	3.9	3.8	3.8	3.8	4.0	4.6	4.5	3.8	5.3
環境項目	流量	m ³ /s												-	-	-	
	平均流速	m/s												-	-	-	
	透明度	m	1.4	1.0	1.3	1.8	1.6	0.3	1.4	1.0	1.5	1.6	1.2	1.6	1.3	0.3	1.8
	透視度	cm	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0
生活環境項目	pH	-	8.9	9.2	9.2	8.4	9.5	9.1	9.4	7.9	8.2	8.0	8.8	8.5	-	7.9	9.5
	DO	mg/L	12.8	15.1	14.7	9.6	15.6	17.5	19.9	10.4	14.2	11.9	17.4	11.8	14.2	9.6	19.9
	BOD	mg/L	5.5	4.4	3.6	2.1	3.2	3.7	3.5	1.2	3.0	1.9	4.0	2.8	3.2	1.2	5.5
	COD	mg/L	5.1	7.3	9.0	6.1	6.7	9.6	7.5	4.0	3.8	3.4	5.7	4.3	6.0	3.4	9.6
環境項目	SS	mg/L	6	18	12	3	4	18	11	18	5	4	6	9	10	3	18
	大腸菌群数	MPN/100mL	33	33	33	140	4	33	23	70	23	33	94	33	46	4	140
	n-ヘキサン抽出物質	mg/L													-	-	-
	全窒素	mg/L	1.1	0.97	0.86	0.77	0.51	1.2	0.89	0.90	0.99	1.1	1.0	1.0	0.94	0.51	1.2
環境項目	全りん	mg/L	0.12	0.15	0.11	0.096	0.067	0.23	0.10	0.098	0.13	0.14	0.11	0.10	0.12	0.067	0.230
	全亜鉛	mg/L		0.003			<0.001					0.002	0.008		0.004	<0.001	0.008
	直鎖7α,8α,9α,10α,11α,12α,13α,14α,15α,16α,17α,18α,19α,20α,21α,22α,23α,24α,25α,26α,27α,28α,29α,30α,31α,32α,33α,34α,35α,36α,37α,38α,39α,40α,41α,42α,43α,44α,45α,46α,47α,48α,49α,50α,51α,52α,53α,54α,55α,56α,57α,58α,59α,60α,61α,62α,63α,64α,65α,66α,67α,68α,69α,70α,71α,72α,73α,74α,75α,76α,77α,78α,79α,80α,81α,82α,83α,84α,85α,86α,87α,88α,89α,90α,91α,92α,93α,94α,95α,96α,97α,98α,99α,100α,101α,102α,103α,104α,105α,106α,107α,108α,109α,110α,111α,112α,113α,114α,115α,116α,117α,118α,119α,120α,121α,122α,123α,124α,125α,126α,127α,128α,129α,130α,131α,132α,133α,134α,135α,136α,137α,138α,139α,140α,141α,142α,143α,144α,145α,146α,147α,148α,149α,150α,151α,152α,153α,154α,155α,156α,157α,158α,159α,160α,161α,162α,163α,164α,165α,166α,167α,168α,169α,170α,171α,172α,173α,174α,175α,176α,177α,178α,179α,180α,181α,182α,183α,184α,185α,186α,187α,188α,189α,190α,191α,192α,193α,194α,195α,196α,197α,198α,199α,200α,201α,202α,203α,204α,205α,206α,207α,208α,209α,210α,211α,212α,213α,214α,215α,216α,217α,218α,219α,220α,221α,222α,223α,224α,225α,226α,227α,228α,229α,230α,231α,232α,233α,234α,235α,236α,237α,238α,239α,240α,241α,242α,243α,244α,245α,246α,247α,248α,249α,250α,251α,252α,253α,254α,255α,256α,257α,258α,259α,260α,261α,262α,263α,264α,265α,266α,267α,268α,269α,270α,271α,272α,273α,274α,275α,276α,277α,278α,279α,280α,281α,282α,283α,284α,285α,286α,287α,288α,289α,290α,291α,292α,293α,294α,295α,296α,297α,298α,299α,300α,301α,302α,303α,304α,305α,306α,307α,308α,309α,310α,311α,312α,313α,314α,315α,316α,317α,318α,319α,320α,321α,322α,323α,324α,325α,326α,327α,328α,329α,330α,331α,332α,333α,334α,335α,336α,337α,338α,339α,340α,341α,342α,343α,344α,345α,346α,347α,348α,349α,350α,351α,352α,353α,354α,355α,356α,357α,358α,359α,360α,361α,362α,363α,364α,365α,366α,367α,368α,369α,370α,371α,372α,373α,374α,375α,376α,377α,378α,379α,380α,381α,382α,383α,384α,385α,386α,387α,388α,389α,390α,391α,392α,393α,394α,395α,396α,397α,398α,399α,400α,401α,402α,403α,404α,405α,406α,407α,408α,409α,410α,411α,412α,413α,414α,415α,416α,417α,418α,419α,420α,421α,422α,423α,424α,425α,426α,427α,428α,429α,430α,431α,432α,433α,434α,435α,436α,437α,438α,439α,440α,441α,442α,443α,444α,445α,446α,447α,448α,449α,450α,451α,452α,453α,454α,455α,456α,457α,458α,459α,460α,461α,462α,463α,464α,465α,466α,467α,468α,469α,470α,471α,472α,473α,474α,475α,476α,477α,478α,479α,480α,481α,482α,483α,484α,485α,486α,487α,488α,489α,490α,491α,492α,493α,494α,495α,496α,497α,498α,499α,500α,501α,502α,503α,504α,505α,506α,507α,508α,509α,510α,511α,512α,513α,514α,515α,516α,517α,518α,519α,520α,521α,522α,523α,524α,525α,526α,527α,528α,529α,530α,531α,532α,533α,534α,535α,536α,537α,538α,539α,540α,541α,542α,543α,544α,545α,546α,547α,548α,549α,550α,551α,552α,553α,554α,555α,556α,557α,558α,559α,560α,561α,562α,563α,564α,565α,566α,567α,568α,569α,570α,571α,572α,573α,574α,575α,576α,577α,578α,579α,580α,581α,582α,583α,584α,585α,586α,587α,588α,589α,590α,591α,592α,593α,594α,595α,596α,597α,598α,599α,600α,601α,602α,603α,604α,605α,606α,607α,608α,609α,610α,611α,612α,613α,614α,615α,616α,617α,618α,619α,620α,621α,622α,623α,624α,625α,626α,627α,628α,629α,630α,631α,632α,633α,634α,635α,636α,637α,638α,639α,640α,641α,642α,643α,644α,645α,646α,647α,648α,649α,650α,651α,652α,653α,654α,655α,656α,657α,658α,659α,660α,661α,662α,663α,664α,665α,666α,667α,668α,669α,670α,671α,672α,673α,674α,675α,676α,677α,678α,679α,680α,681α,682α,683α,684α,685α,686α,687α,688α,689α,690α,691α,692α,693α,694α,695α,696α,697α,698α,699α,700α,701α,702α,703α,704α,705α,706α,707α,708α,709α,710α,711α,712α,713α,714α,715α,716α,717α,718α,719α,720α,721α,722α,723α,724α,725α,726α,727α,728α,729α,730α,731α,732α,733α,734α,735α,736α,737α,738α,739α,740α,741α,742α,743α,744α,745α,746α,747α,748α,749α,750α,751α,752α,753α,754α,755α,756α,757α,758α,759α,760α,761α,762α,763α,764α,765α,766α,767α,768α,769α,770α,771α,772α,773α,774α,775α,776α,777α,778α,779α,780α,781α,782α,783α,784α,785α,786α,787α,788α,789α,790α,791α,792α,793α,794α,795α,796α,797α,798α,799α,800α,801α,802α,803α,804α,805α,806α,807α,808α,809α,810α,811α,812α,813α,814α,815α,816α,817α,818α,819α,820α,821α,822α,823α,824α,825α,826α,827α,828α,829α,830α,831α,832α,833α,834α,835α,836α,837α,838α,839α,840α,841α,842α,843α,844α,845α,846α,847α,848α,849α,850α,851α,852α,853α,854α,855α,856α,857α,858α,859α,860α,861α,862α,863α,864α,865α,866α,867α,868α,869α,870α,871α,872α,873α,874α,875α,876α,877α,878α,879α,880α,881α,882α,883α,884α,885α,886α,887α,888α,889α,890α,891α,892α,893α,894α,895α,896α,897α,898α,899α,900α,901α,902α,903α,904α,905α,906α,907α,908α,909α,910α,911α,912α,913α,914α,915α,916α,917α,918α,919α,920α,921α,922α,923α,924α,925α,926α,927α,928α,929α,930α,931α,932α,933α,934α,935α,936α,937α,938α,939α,940α,941α,942α,943α,944α,945α,946α,947α,948α,949α,950α,951α,952α,953α,954α,955α,956α,957α,958α,959α,960α,961α,962α,963α,964α,965α,966α,967α,968α,969α,970α,971α,972α,973α,974α,975α,976α,977α,978α,979α,980α,981α,982α,983α,984α,985α,986α,987α,988α,989α,990α,991α,992α,993α,994α,995α,996α,997α,998α,999α,1000α,1001α,1002α,1003α,1004α,1005α,1006α,1007α,1008α,1009α,1010α,1011α,1012α,1013α,1014α,1015α,1016α,1017α,1018α,1019α,1020α,1021α,1022α,1023α,1024α,1025α,1026α,1027α,1028α,1029α,1030α,1031α,1032α,1033α,1034α,1035α,1036α,1037α,1038α,1039α,1040α,1041α,1042α,1043α,1044α,1045α,1046α,1047α,1048α,1049α,1050α,1051α,1052α,1053α,1054α,1055α,1056α,1057α,1058α,1059α,1060α,1061α,1062α,1063α,1064α,1065α,1066α,1067α,1068α,1069α,1070α,1071α,1072α,1073α,1074α,1075α,1076α,1077α,1078α,1079α,1080α,1081α,1082α,1083α,1084α,1085α,1086α,1087α,1088α,1089α,1090α,1091α,1092α,1093α,1094α,1095α,1096α,1097α,1098α,1099α,1100α,1101α,1102α,1103α,1104α,1105α,1106α,1107α,1108α,1109α,1110α,1111α,1112α,1113α,1114α,1115α,1116α,1117α,1118α,1119α,1120α,1121α,1122α,1123α,1124α,1125α,1126α,1127α,1128α,1129α,1130α,1131α,1132α,1133α,1134α,1135α,1136α,1137α,1138α,1139α,1140α,1141α,1142α,1143α,1144α,1145α,1146α,1147α,1148α,1149α,1150α,1151α,1152α,1153α,1154α,1155α,1156α,1157α,1158α,1159α,1160α,1161α,1162α,1163α,1164α,1165α,1166α,1167α,1168α,1169α,1170α,1171α,1172α,1173α,1174α,1175α,1176α,1177α,1178α,1179α,1180α,1181α,1182α,1183α,1184α,1185α,1186α,1187α,1188α,1189α,1190α,1191α,1192α,1193α,1194α,1195α,1196α,1197α,1198α,1199α,1200α,1201α,1202α,1203α,1204α,1205α,1206α,1207α,1208α,1209α,1210α,1211α,1212α,1213α,1214α,1215α,1216α,1217α,1218α,1219α,1220α,1221α,1222α,1223α,1224α,1225α,1226α,1227α,1228α,1229α,1230α,1231α,1232α,1233α,1234α,1235α,1236α,1237α,1238α,1239α,1240α,1241α,1242α,1243α,1244α,1245α,1246α,1247α,1248α,1249α,1250α,1251α,1252α,1253α,1254α,1255α,1256α,1257α,1258α,1259α,1260α,1261α,1262α,1263α,1264α,1265α,1266α,1267α,1268α,1269α,1270α,1271α,1272α,1273α,1274α,1275α,1276α,1277α,1278α,1279α,1280α,1281α,1282α,1283α,1284α,1285α,1286α,1287α,1288α,1289α,1290α,1291α,1292α,1293α,1294α,1295α,1296α,1297α,1298α,1299α,1300α,1301α,130																

③高滝ダム貯水池（加茂橋下流部 下層）

採水地点(水域名)		加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋				
採水年月日		H31.4.12	R1.5.9	R1.6.3	R1.7.1	R1.8.1	R1.9.2	R1.10.3	R1.11.20	R1.12.19	R2.1.15	R2.2.26	R2.3.6	平均値	最小値	最大値	75%値
採水時刻		11:05	11:52	11:10	11:08	11:32	11:32	11:00	11:50	11:06	11:55	11:50	11:35				
採水位置		下層	下層	下層	下層	下層	下層	下層	下層	下層	下層	下層	下層				
天候		曇時々雨	曇	晴	曇時々雨	晴	晴	曇	晴	雨	曇	曇時々雨	快晴				
現場測定項目	気温	℃	7.9	23.1	24.9	25.9	34.3	34.8	25.5	14.2	9.1	9.9	7.5	15.8	19.4	7.5	34.8
	水温	℃	12.3	18.8	21.2	23.4	27.2	27.7	24.4	14.5	10.5	8.4	10.5	11.5	17.5	8.4	27.7
	採取水深	m	4.2	4.3	4.2	4.1	3.8	3.5	2.9	2.8	2.8	2.8	3.0	3.6	3.5	2.8	4.3
	全水深	m	5.2	5.3	5.2	5.1	4.8	4.5	3.9	3.8	3.8	3.8	4.0	4.6	4.5	3.8	5.3
環境項目	流量	m ³ /s												-	-	-	
	平均流速	m/s												-	-	-	
	透明度	m												-	-	-	
	透視度	cm	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0
生活環境項目	pH	-	8.9	8.6	7.8	8.0	8.3	8.4	9.0	8.0	8.2	8.0	8.8	8.4	-	7.8	9.0
	DO	mg/L	12.4	10.0	4.4	6.6	5.9	8.2	15.9	10.3	13.4	11.9	16.6	11.9	10.6	4.4	16.6
	BOD	mg/L	4.6	2.7	1.1	2.0	2.6	2.3	3.9	1.6	3.3	1.6	3.8	2.6	2.7	1.1	4.6
	COD	mg/L	5.1	6.8	7.0	6.0	7.0	6.6	7.4	4.1	3.7	3.3	5.4	4.2	5.6	3.3	7.4
環境項目	SS	mg/L	6	13	7	7	9	8	14	19	5	4	7	10	9	4	19
	大腸菌群数	MPN/100mL	70	33	23	170	13	33	23	49	23	33	140	23	53	13	170
	n-ヘキサン抽出物質	mg/L													-	-	-
	全窒素	mg/L	1.0	0.98	1.0	0.88	0.65	0.80	0.63	1.0	0.95	1.0	1.0	1.0	0.91	0.63	1.0
環境項目	全りん	mg/L	0.10	0.14	0.18	0.11	0.12	0.17	0.074	0.096	0.12	0.14	0.13	0.099	0.12	0.074	0.18
	全亜鉛	mg/L		0.004			0.002					0.001	0.007		0.004	0.001	0.007
	直鎖7α,8α,9α,10α,11α,12α,13α,14α,15α,16α,17α,18α,19α,20α,21α,22α,23α,24α,25α,26α,27α,28α,29α,30α,31α,32α,33α,34α,35α,36α,37α,38α,39α,40α,41α,42α,43α,44α,45α,46α,47α,48α,49α,50α,51α,52α,53α,54α,55α,56α,57α,58α,59α,60α,61α,62α,63α,64α,65α,66α,67α,68α,69α,70α,71α,72α,73α,74α,75α,76α,77α,78α,79α,80α,81α,82α,83α,84α,85α,86α,87α,88α,89α,90α,91α,92α,93α,94α,95α,96α,97α,98α,99α,100α,101α,102α,103α,104α,105α,106α,107α,108α,109α,110α,111α,112α,113α,114α,115α,116α,117α,118α,119α,120α,121α,122α,123α,124α,125α,126α,127α,128α,129α,130α,131α,132α,133α,134α,135α,136α,137α,138α,139α,140α,141α,142α,143α,144α,145α,146α,147α,148α,149α,150α,151α,152α,153α,154α,155α,156α,157α,158α,159α,160α,161α,162α,163α,164α,165α,166α,167α,168α,169α,170α,171α,172α,173α,174α,175α,176α,177α,178α,179α,180α,181α,182α,183α,184α,185α,186α,187α,188α,189α,190α,191α,192α,193α,194α,195α,196α,197α,198α,199α,200α,201α,202α,203α,204α,205α,206α,207α,208α,209α,210α,211α,212α,213α,214α,215α,216α,217α,218α,219α,220α,221α,222α,223α,224α,225α,226α,227α,228α,229α,230α,231α,232α,233α,234α,235α,236α,237α,238α,239α,240α,241α,242α,243α,244α,245α,246α,247α,248α,249α,250α,251α,252α,253α,254α,255α,256α,257α,258α,259α,260α,261α,262α,263α,264α,265α,266α,267α,268α,269α,270α,271α,272α,273α,274α,275α,276α,277α,278α,279α,280α,281α,282α,283α,284α,285α,286α,287α,288α,289α,290α,291α,292α,293α,294α,295α,296α,297α,298α,299α,300α,301α,302α,303α,304α,305α,306α,307α,308α,309α,310α,311α,312α,313α,314α,315α,316α,317α,318α,319α,320α,321α,322α,323α,324α,325α,326α,327α,328α,329α,330α,331α,332α,333α,334α,335α,336α,337α,338α,339α,340α,341α,342α,343α,344α,345α,346α,347α,348α,349α,350α,351α,352α,353α,354α,355α,356α,357α,358α,359α,360α,361α,362α,363α,364α,365α,366α,367α,368α,369α,370α,371α,372α,373α,374α,375α,376α,377α,378α,379α,380α,381α,382α,383α,384α,385α,386α,387α,388α,389α,390α,391α,392α,393α,394α,395α,396α,397α,398α,399α,400α,401α,402α,403α,404α,405α,406α,407α,408α,409α,410α,411α,412α,413α,414α,415α,416α,417α,418α,419α,420α,421α,422α,423α,424α,425α,426α,427α,428α,429α,430α,431α,432α,433α,434α,435α,436α,437α,438α,439α,440α,441α,442α,443α,444α,445α,446α,447α,448α,449α,450α,451α,452α,453α,454α,455α,456α,457α,458α,459α,460α,461α,462α,463α,464α,465α,466α,467α,468α,469α,470α,471α,472α,473α,474α,475α,476α,477α,478α,479α,480α,481α,482α,483α,484α,485α,486α,487α,488α,489α,490α,491α,492α,493α,494α,495α,496α,497α,498α,499α,500α,501α,502α,503α,504α,505α,506α,507α,508α,509α,510α,511α,512α,513α,514α,515α,516α,517α,518α,519α,520α,521α,522α,523α,524α,525α,526α,527α,528α,529α,530α,531α,532α,533α,534α,535α,536α,537α,538α,539α,540α,541α,542α,543α,544α,545α,546α,547α,548α,549α,550α,551α,552α,553α,554α,555α,556α,557α,558α,559α,560α,561α,562α,563α,564α,565α,566α,567α,568α,569α,570α,571α,572α,573α,574α,575α,576α,577α,578α,579α,580α,581α,582α,583α,584α,585α,586α,587α,588α,589α,590α,591α,592α,593α,594α,595α,596α,597α,598α,599α,600α,601α,602α,603α,604α,605α,606α,607α,608α,609α,610α,611α,612α,613α,614α,615α,616α,617α,618α,619α,620α,621α,622α,623α,624α,625α,626α,627α,628α,629α,630α,631α,632α,633α,634α,635α,636α,637α,638α,639α,640α,641α,642α,643α,644α,645α,646α,647α,648α,649α,650α,651α,652α,653α,654α,655α,656α,657α,658α,659α,660α,661α,662α,663α,664α,665α,666α,667α,668α,669α,670α,671α,672α,673α,674α,675α,676α,677α,678α,679α,680α,681α,682α,683α,684α,685α,686α,687α,688α,689α,690α,691α,692α,693α,694α,695α,696α,697α,698α,699α,700α,701α,702α,703α,704α,705α,706α,707α,708α,709α,710α,711α,712α,713α,714α,715α,716α,717α,718α,719α,720α,721α,722α,723α,724α,725α,726α,727α,728α,729α,730α,731α,732α,733α,734α,735α,736α,737α,738α,739α,740α,741α,742α,743α,744α,745α,746α,747α,748α,749α,750α,751α,752α,753α,754α,755α,756α,757α,758α,759α,760α,761α,762α,763α,764α,765α,766α,767α,768α,769α,770α,771α,772α,773α,774α,775α,776α,777α,778α,779α,780α,781α,782α,783α,784α,785α,786α,787α,788α,789α,790α,791α,792α,793α,794α,795α,796α,797α,798α,799α,800α,801α,802α,803α,804α,805α,806α,807α,808α,809α,810α,811α,812α,813α,814α,815α,816α,817α,818α,819α,820α,821α,822α,823α,824α,825α,826α,827α,828α,829α,830α,831α,832α,833α,834α,835α,836α,837α,838α,839α,840α,841α,842α,843α,844α,845α,846α,847α,848α,849α,850α,851α,852α,853α,854α,855α,856α,857α,858α,859α,860α,861α,862α,863α,864α,865α,866α,867α,868α,869α,870α,871α,872α,873α,874α,875α,876α,877α,878α,879α,880α,881α,882α,883α,884α,885α,886α,887α,888α,889α,890α,891α,892α,893α,894α,895α,896α,897α,898α,899α,900α,901α,902α,903α,904α,905α,906α,907α,908α,909α,910α,911α,912α,913α,914α,915α,916α,917α,918α,919α,920α,921α,922α,923α,924α,925α,926α,927α,928α,929α,930α,931α,932α,933α,934α,935α,936α,937α,938α,939α,940α,941α,942α,943α,944α,945α,946α,947α,948α,949α,950α,951α,952α,953α,954α,955α,956α,957α,958α,959α,960α,961α,962α,963α,964α,965α,966α,967α,968α,969α,970α,971α,972α,973α,974α,975α,976α,977α,978α,979α,980α,981α,982α,983α,984α,985α,986α,987α,988α,989α,990α,991α,992α,993α,994α,995α,996α,997α,998α,999α,1000α,1001α,1002α,1003α,1004α,1005α,1006α,1007α,1008α,1009α,1010α,1011α,1012α,1013α,1014α,1015α,1016α,1017α,1018α,1019α,1020α,1021α,1022α,1023α,1024α,1025α,1026α,1027α,1028α,1029α,1030α,1031α,1032α,1033α,1034α,1035α,1036α,1037α,1038α,1039α,1040α,1041α,1042α,1043α,1044α,1045α,1046α,1047α,1048α,1049α,1050α,1051α,1052α,1053α,1054α,1055α,1056α,1057α,1058α,1059α,1060α,1061α,1062α,1063α,1064α,1065α,1066α,1067α,1068α,1069α,1070α,1071α,1072α,1073α,1074α,1075α,1076α,1077α,1078α,1079α,1080α,1081α,1082α,1083α,1084α,1085α,1086α,1087α,1088α,1089α,1090α,1091α,1092α,1093α,1094α,1095α,1096α,1097α,1098α,1099α,1100α,1101α,1102α,1103α,1104α,1105α,1106α,1107α,1108α,1109α,1110α,1111α,1112α,1113α,1114α,1115α,1116α,1117α,1118α,1119α,1120α,1121α,1122α,1123α,1124α,1125α,1126α,1127α,1128α,1129α,1130α,1131α,1132α,1133α,1134α,1135α,1136α,1137α,1138α,1139α,1140α,1141α,1142α,1143α,1144α,1145α,1146α,1147α,1148α,1149α,1150α,1151α,1152α,1153α,1154α,1155α,1156α,1157α,1158α,1159α,1160α,1161α,1162α,1163α,1164α,1165α,1166α,1167α,1168α,1169α,1170α,1171α,1172α,1173α,1174α,1175α,1176α,1177α,1178α,1179α,1180α,1181α,1182α,1183α,1184α,1185α,1186α,1187α,1188α,1189α,1190α,1191α,1192α,1193α,1194α,1195α,1196α,1197α,1198α,1199α,1200α,1201α,1202α,1203α,1204α,1205α,1206α,1207α,1208α,1209α,1210α,1211α,1212α,1213α,1214α,1215α,1216α,1217α,1218α,1219α,1220α,1221α,1222α,1223α,1224α,1225α,1226α,1227α,1228α,1229α,1230α,1231α,1232α,1233α,1234α,1235α,1236α,1237α,1238α,1239α,1240α,1241α,1242α,1243α,1244α,1245α,1246α,1247α,1248α,1249α,1250α,1251α,1252α,1253α,1254α,1255α,1256α,1257α,1258α,1259α,1260α,1261α,1262α,1263α,1264α,1265α,1266α,1267α,1268α,1269α,1270α,1271α,1272α,1273α,1274α,1275α,1276α,1277α,1278α,1279α,1280α,1281α,1282α,1283α,1284α,1285α,1286α,1287α,1288α,1289α,1290α,1291α,1292α,1293α,1294α,1295α,1296α,1297α,1298α,1299α,1300α,1301α,1302α,1303α,1304α,1305α,1306α,1307α,1308α,1309α,1310α,1311α,1312α,1313α,1314α,1315α,1316α,1317α,1318α,1319α,1320α,1321α,1322α,1323α,1324α,1325α,1326α,1327α,1328α,1329α,1330α,1331α,1332α,1333α,1334α,1335α,1336α,1337α,1338α,1339α,1340α,1341α,1342α,1343α,1344α,1345α,1346α,1347α,1348α,1349α,1350α,1351α,1352α,1353α,1354α,1355α,1356α,1357α,1358α,1359α,1360α,136																

④高滝ダム貯水池（北崎橋 上層）

採水地点(水域名)		北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋				
採水年月日		H31.4.12	R1.5.9	R1.6.3	R1.7.1	R1.8.1	R1.9.2	R1.10.3	R1.11.20	R1.12.19	R2.1.15	R2.2.26	R2.3.6	平均値	最小値	最大値	75%値
採水時刻		10:29	10:53	10:37	10:40	10:47	10:54	10:30	11:06	10:40	11:00	11:15	11:08				
採水位置		上層	上層	上層	上層	上層	上層	上層	上層	上層	上層	上層	上層				
天候		曇時々雨	曇	晴	曇時々雨	晴	晴	曇	晴	雨	曇	曇時々雨	快晴				
現場測定項目	気温	℃	8.1	23.0	26.5	24.6	37.2	32.9	26.5	13.5	8.9	7.2	16.5	19.6	7.2	37.2	
	水温	℃	12.7	20.9	24.4	24.7	33.0	30.3	26.1	14.7	10.4	8.9	10.5	11.5	19.0	8.9	33.0
	採取水深	m	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
	全水深	m	10.1	10.2	10.3	10.1	9.9	9.4	8.9	9.0	9.0	9.0	9.3	9.8	9.6	8.9	10.3
環境項目	流量	m ³ /s												-	-	-	
	平均流速	m/s												-	-	-	
	透明度	m	1.6	1.1	1.2	1.8	1.6	0.3	1.5	1.4	1.7	1.8	1.2	1.6	1.4	0.3	1.8
	透視度	cm	>30.0	>30.0	>30.0	>30.0	>30.0	22.5	>30.0	>30.0	>30.0	>30.0	>30.0	29.4	22.5	>30.0	
生活環境項目	pH	-	8.8	9.4	9.3	8.7	9.5	9.2	9.4	8.0	8.2	8.0	8.7	8.5	-	8.0	9.5
	DO	mg/L	12.0	17.4	16.0	10.7	15.8	19.1	18.1	10.2	13.9	12.1	15.9	11.8	14.4	10.2	19.1
	BOD	mg/L	5.5	4.5	4.2	2.3	3.6	3.6	3.1	1.5	2.9	1.6	4.0	2.6	3.3	1.5	5.5
	COD	mg/L	5.2	7.6	9.3	5.9	6.5	10	6.9	3.8	3.8	3.6	5.6	4.2	6.0	3.6	10
環境項目	SS	mg/L	6	14	11	3	2	20	22	8	4	4	6	7	9	2	22
	大腸菌群数	MPN/100mL	33	13	23	33	2	23	170	33	13	49	49	33	40	2	170
	n-ヘキサン抽出物質	mg/L													-	-	-
	全窒素	mg/L	1.1	0.81	0.97	0.67	0.64	1.1	1.2	0.85	0.87	1.1	1.0	0.88	0.93	0.64	1.2
環境項目	全りん	mg/L	0.10	0.11	0.11	0.087	0.059	0.21	0.12	0.087	0.10	0.15	0.10	0.081	0.11	0.059	0.21
	全亜鉛	mg/L		0.002			<0.001					0.001	0.008		0.003	<0.001	0.008
	直接7αヒドロキシステロイド酸及びその塩	mg/L													-	-	-
	ノニルフェノール	μg/L													-	-	-
健康項目	大腸菌数	個/100mL	2	8	<1	20	<1	<1	2	26	<1	4	<1	8	6	<1	26
	カドミウム	mg/L		<0.0003			<0.0003					<0.0003	<0.0003		<0.0003	<0.0003	<0.0003
	全シアン	mg/L		<0.1			<0.1					<0.1	<0.1		<0.1	<0.1	<0.1
	鉛	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
健康項目	六価クロム	mg/L		<0.005			<0.005					<0.005	<0.005		<0.005	<0.005	<0.005
	砒素	mg/L		0.001			0.001					0.001	0.001		0.001	0.001	0.001
	総水銀	mg/L		<0.0005			<0.0005					<0.0005	<0.0005		<0.0005	<0.0005	<0.0005
	アルキル水銀	mg/L													-	-	-
健康項目	ポリ塩化ビフェニル	mg/L		<0.0005			<0.0005					<0.0005	<0.0005		<0.0005	<0.0005	<0.0005
	ジクロロメタン	mg/L		<0.002			<0.002					<0.002	<0.002		<0.002	<0.002	<0.002
	四塩化炭素	mg/L		<0.0002			<0.0002					<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
	1,2-ジクロロエタン	mg/L		<0.0004			<0.0004					<0.0004	<0.0004		<0.0004	<0.0004	<0.0004
健康項目	1,1-ジクロロエチレン	mg/L		<0.002			<0.002					<0.002	<0.002		<0.002	<0.002	<0.002
	トリス-1,2-ジクロロエチレン	mg/L		<0.004			<0.004					<0.004	<0.004		<0.004	<0.004	<0.004
	1,1,1-トリクロロエタン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	1,1,2-トリクロロエタン	mg/L		<0.0006			<0.0006					<0.0006	<0.0006		<0.0006	<0.0006	<0.0006
健康項目	トリクロロエチレン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	テトラクロロエチレン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	1,3-ジクロロプロペン	mg/L		<0.0002			<0.0002					<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
	チウラム	mg/L		<0.0006			<0.0006					<0.0006	<0.0006		<0.0006	<0.0006	<0.0006
健康項目	シマジン	mg/L		<0.0003			<0.0003					<0.0003	<0.0003		<0.0003	<0.0003	<0.0003
	チオベンカルブ	mg/L		<0.002			<0.002					<0.002	<0.002		<0.002	<0.002	<0.002
	ベンゼン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	セレン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
健康項目	硝酸性窒素及び亜硝酸性窒素	mg/L	0.20	<0.06	<0.06	0.16	<0.06	<0.06	0.26	0.52	0.48	0.77	0.28	0.29	0.27	<0.06	0.77
	亜硝酸性窒素	mg/L	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	0.03	<0.03	<0.03	<0.03	<0.03	0.03	<0.03	0.03
	硝酸性窒素	mg/L	0.17	<0.03	<0.03	0.13	<0.03	<0.03	0.23	0.49	0.45	0.74	0.25	0.26	0.24	<0.03	0.74
	ふっ素	mg/L		<0.08			0.08					0.09	0.09		0.09	<0.08	0.09
健康項目	ほう素	mg/L		<0.1			<0.1					<0.1	<0.1		<0.1	<0.1	<0.1
	1,4-ジオキサン	mg/L		<0.005			<0.005					<0.005	<0.005		<0.005	<0.005	<0.005
	フェノール類	mg/L		<0.005			<0.005					<0.005	<0.005		<0.005	<0.005	<0.005
	銅	mg/L		<0.01			<0.01					<0.01	<0.01		<0.01	<0.01	<0.01
健康項目	溶解性鉄	mg/L		0.1			<0.1					0.2	<0.1		0.2	<0.1	0.2
	溶解性マンガン	mg/L		0.03			<0.02					0.08	<0.02		0.06	<0.02	0.08
	全クロム	mg/L		<0.02			<0.02					<0.02	<0.02		<0.02	<0.02	<0.02
	アンモニア性窒素	mg/L	0.17	0.04	0.07	0.04	0.05	0.03	0.65	<0.03	0.08	0.11	0.08	0.16	0.13	<0.03	0.65
健康項目	りん酸性りん	mg/L	0.032	0.047	0.031	0.051	0.020	0.103	0.116	0.067	0.050	0.125	0.035	0.053	0.061	0.020	0.125
	塩化物イオン	mg/L	7	8	10	7	9	10	6	9	7	8	8	9	8	6	10
	塩分量	-													-	-	-
	電気伝導率	mS/cm	31	24	26	22	25	31	24	31	27	30	30	35	28	22	35
健康項目	MBAS	mg/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
	全有機炭素(TOC)	mg/L	2.7	3.4	3.8	2.9	2.9	3.6	4.2	2.3	2.3	2.3	2.3	2.4	2.9	2.3	4.2
	溶存有機炭素(DOC)	mg/L	2.3	2.8	3.0	2.6	2.8	2.9	3.7	1.9	2.1	1.8	1.9	1.4	2.4	1.4	3.7
	クロロフィルa	μg/L	84	89	78	49	39	81	15	21	57	24	110	28	56	15	110
健康項目	溶解性COD	mg/L	4.1	5.6	5.3	4.8	4.8	6.7	5.4	2.8	3.0	3.1	3.0	3.5	4.3	2.8	6.7
	プランクトン数	個/mL	5,207	25,124	33,353	6,350	24,433	58,577	993	7,801	3,559	1,747	17,762	2,986	15,658	993	58,577
	トリハロメタン生成能	mg/L		0.053			0.050					0.078	0.058		0.060	0.050	0.078
	クロホルム生成能	mg/L		0.040			0.043					0.062	0.042		0.047	0.040	0.062
健康項目	ブロメシクロメタン生成能	mg/L		0.011			0.0061					0.014	0.013		0.011	0.0061	0.014
	ジブロメシクロメタン生成能	mg/L		0.0024			0.0010					0.0028	0.0033		0.0024	0.0010	0.0033
	ブromoホルム生成能	mg/L		<0.0001			<0.0001					<0.0001	<0.0001		<0.0001	<0.0001	<0.0001

⑤高滝ダム貯水池（北崎橋 下層）

採水地点(水域名)		北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋				
採水年月日		H31.4.12	R1.5.9	R1.6.3	R1.7.1	R1.8.1	R1.9.2	R1.10.3	R1.11.20	R1.12.19	R2.1.15	R2.2.26	R2.3.6				
採水時刻		10:40	11:15	10:42	10:45	11:00	11:10	10:36	11:20	10:46	11:18	11:26	11:20				
採水位置		下層	下層	下層	下層	下層	下層	下層	下層	下層	下層	下層	下層				
天候		曇時々雨	曇	晴	曇時々雨	晴	晴	曇	晴	雨	曇	曇時々雨	快晴				
現場測定項目	気温	℃	8.1	23.0	26.5	24.6	37.2	32.9	26.5	13.5	8.9	9.8	7.2	16.5	19.6	7.2	37.2
	水温	℃	11.5	15.5	17.0	19.4	21.0	21.3	22.6	14.3	9.9	8.3	9.6	10.6	15.1	8.3	22.6
	採取水深	m	9.1	9.2	9.3	9.1	8.9	8.4	7.9	8.0	8.0	8.0	8.3	8.8	8.6	7.9	9.3
	全水深	m	10.1	10.2	10.3	10.1	9.9	9.4	8.9	9.0	9.0	9.0	9.3	9.8	9.6	8.9	10.3
生活環境項目	流量	m ³ /s													-	-	-
	平均流速	m/s													-	-	-
	透明度	m													-	-	-
	透視度	cm	>30.0	>30.0	>30.0	28.5	>30.0	19.8	24.8	26.0	>30.0	>30.0	>30.0	>30.0	28.3	19.8	>30.0
環境項目	pH	-	8.4	7.8	7.5	7.5	7.7	7.4	7.5	7.9	7.9	8.0	7.8	8.1	-	7.4	8.4
	DO	mg/L	10.3	0.6	0.7	1.8	1.0	1.3	1.2	9.7	11.0	11.2	8.6	9.9	5.6	0.6	11.2
	BOD	mg/L	3.1	2.7	3.4	3.1	2.3	5.8	3.4	1.3	1.4	0.9	2.1	2.0	2.6	0.9	5.8
	COD	mg/L	5.2	5.9	7.2	6.9	6.8	9.6	7.0	3.9	3.5	3.3	4.1	4.0	5.6	3.3	9.6
環境項目	SS	mg/L	10	13	19	16	15	26	6	19	12	6	12	9	14	6	26
	大腸菌群数	MPN/100mL	490	23	33	49	23	49	220	33	17	79	79	23	93	17	490
	n-ヘキサン抽出物質	mg/L													-	-	-
	全窒素	mg/L	1.1	1.6	2.0	1.3	1.6	2.9	0.66	0.98	0.79	1.2	1.1	0.99	1.4	0.66	2.9
環境項目	全りん	mg/L	0.13	0.38	0.66	0.23	0.38	1.1	0.063	0.095	0.10	0.11	0.093	0.087	0.29	0.063	1.1
	全亜鉛	mg/L													-	-	-
	直接7αヒドロキシステロイド酸及びその塩	mg/L													-	-	-
	ノニルフェノール	μg/L													-	-	-
健康項目	大腸菌数	個/100mL	140	20	<1	2	8	4	24	24	12	4	<1	2	20	<1	140
	カドミウム	mg/L													-	-	-
	全シアン	mg/L													-	-	-
	鉛	mg/L													-	-	-
健康項目	六価クロム	mg/L													-	-	-
	砒素	mg/L													-	-	-
	総水銀	mg/L													-	-	-
	アルキル水銀	mg/L													-	-	-
健康項目	ポリ塩化ビフェニル	mg/L													-	-	-
	ジクロロメタン	mg/L													-	-	-
	四塩化炭素	mg/L													-	-	-
	1,2-ジクロロエタン	mg/L													-	-	-
健康項目	1,1-ジクロロエチレン	mg/L													-	-	-
	トリス-1,2-ジクロロエチレン	mg/L													-	-	-
	1,1,1-トリクロロエタン	mg/L													-	-	-
	1,1,2-トリクロロエタン	mg/L													-	-	-
健康項目	トリクロロエチレン	mg/L													-	-	-
	テトラクロロエチレン	mg/L													-	-	-
	1,3-ジクロロプロペン	mg/L													-	-	-
	チウラム	mg/L													-	-	-
健康項目	シマジン	mg/L													-	-	-
	チオベンカルブ	mg/L													-	-	-
	ベンゼン	mg/L													-	-	-
	セレン	mg/L													-	-	-
健康項目	硝酸性窒素及び亜硝酸性窒素	mg/L	0.43	0.07	<0.06	0.07	<0.06	<0.06	<0.06	0.55	0.63	0.72	0.57	0.33	0.30	<0.06	0.72
	亜硝酸性窒素	mg/L	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
	硝酸性窒素	mg/L	0.40	0.04	<0.03	0.04	<0.03	<0.03	<0.03	0.52	0.60	0.69	0.54	0.30	0.27	<0.03	0.69
	ふっ素	mg/L													-	-	-
健康項目	ほう素	mg/L													-	-	-
	1,4-ジオキサン	mg/L													-	-	-
	フェノール類	mg/L													-	-	-
	銅	mg/L		<0.01			<0.01					<0.01	<0.01		<0.01	<0.01	<0.01
健康項目	溶解性鉄	mg/L		0.1			0.4					0.2	<0.1		0.2	<0.1	0.4
	溶解性マンガン	mg/L		0.61			0.05					0.11	0.09		0.22	0.05	0.61
	全クロム	mg/L		<0.02			<0.02					<0.02	<0.02		<0.02	<0.02	<0.02
	アンモニア性窒素	mg/L	0.33	1.13	1.67	0.95	1.05	2.54	0.05	0.06	0.07	0.14	0.30	0.42	0.73	0.05	2.54
健康項目	りん酸性りん	mg/L	0.106	0.343	0.653	0.225	0.362	1.06	0.015	0.093	0.095	0.102	0.061	0.057	0.264	0.015	1.06
	塩化物イオン	mg/L	7	8	10	5	7	7	6	9	8	8	8	9	8	5	10
	塩分量	-													-	-	-
	電気伝導率	mS/cm	30	29	31	19	23	26	27	31	30	30	29	35	28	19	35
健康項目	MBAS	mg/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
	全有機炭素(TOC)	mg/L	2.8	2.7	2.6	3.6	3.3	3.9	4.5	2.4	1.9	1.9	2.0	2.2	2.8	1.9	4.5
	溶存有機炭素(DOC)	mg/L	2.4	2.6	2.5	3.1	3.2	3.2	4.0	2.0	1.9	1.8	1.9	1.4	2.5	1.4	4.0
	クロロフィルa	μg/L	33	10	10	10	9	8	40	18	16	7	38	45	20	7	45
健康項目	溶解性COD	mg/L	4.1	4.2	4.6	5.6	5.0	5.0	5.9	2.9	2.8	3.0	3.0	3.5	4.1	2.8	5.9
	プランクトン数	個/mL	3,628	570	395	705	2,997	414	22,790	6,666	1,214	552	9,240	4,534	4,475	395	22,790
	トリハロメタン生成能	mg/L													-	-	-
	クロホルム生成能	mg/L													-	-	-
水道水源監視項目	ブロメシクロメタン生成能	mg/L													-	-	-
	ジブロメシクロメタン生成能	mg/L													-	-	-
	ブromoホルム生成能	mg/L													-	-	-
	ブromoホルム生成能	mg/L													-	-	-

⑥高滝ダム貯水池（小佐貫橋下流部 上層）

採水地点(水域名)		小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋				
採水年月日		H31.4.12	R1.5.9	R1.6.3	R1.7.1	R1.8.1	R1.9.2	R1.10.3	R1.11.20	R1.12.19	R2.1.15	R2.2.26	R2.3.6				
採水時刻		10:05	10:16	10:15	10:10	10:18	10:30	10:10	10:36	10:20	10:28	10:50	10:46				
採水位置		上層	上層	上層	上層	上層	上層	上層	上層	上層	上層	上層	上層				
天候		曇時々雨	曇	晴	曇時々雨	晴	晴	曇	晴	雨	曇	曇時々雨	快晴				
現場測定項目	気温	℃	8.2	23.0	25.9	27.1	33.4	33.9	29.0	13.2	8.7	10.0	8.1	14.9	19.6	8.1	33.9
	水温	℃	13.2	21.3	23.9	24.6	32.6	29.7	25.4	14.6	10.2	9.1	11.0	10.9	18.9	9.1	32.6
	採取水深	m	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
	全水深	m	5.5	5.8	5.9	5.9	5.8	4.9	4.5	4.3	4.3	4.3	4.6	5.2	5.1	4.3	5.9
生活環境項目	流量	m ³ /s													-	-	-
	平均流速	m/s													-	-	-
	透明度	m	1.6	1.2	1.1	2.0	1.5	1.4	1.7	1.0	1.6	2.1	1.2	1.7	1.5	1.0	2.1
	透視度	cm	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0	>30.0
環境項目	pH	-	8.8	9.3	9.2	8.5	9.5	9.0	9.3	7.9	8.0	8.0	9.0	8.4	-	7.9	9.5
	DO	mg/L	11.5	16.1	13.6	10.5	14.7	16.2	15.5	9.1	12.6	12.0	19.0	11.6	13.5	9.1	19.0
	BOD	mg/L	4.8	3.1	3.0	1.8	3.4	3.0	2.9	1.2	2.6	1.6	5.0	2.0	2.9	1.2	5.0
	COD	mg/L	5.1	7.7	8.2	5.9	6.8	7.8	6.3	3.9	3.8	3.3	6.1	4.0	5.7	3.3	8.2
環境項目	SS	mg/L	4	12	8	2	<1	10	2	15	5	3	5	6	6	<1	15
	大腸菌群数	MPN/100mL	13	17	23	70	2	33	94	33	13	33	49.0	23	34	2	94
	n-ヘキサン抽出物質	mg/L													-	-	-
	全窒素	mg/L	1.0	0.63	0.86	0.70	0.74	0.76	0.56	0.89	0.90	1.1	1.1	0.79	0.84	0.56	1.1
環境項目	全りん	mg/L	0.092	0.092	0.10	0.080	0.063	0.13	0.061	0.086	0.11	0.13	0.11	0.063	0.093	0.061	0.13
	全亜鉛	mg/L		0.002			<0.001					0.001	0.006		0.003	<0.001	0.006
	直接7αヒドロキシステロイド酸及びその塩	mg/L													-	-	-
	ノニルフェノール	μg/L													-	-	-
健康項目	大腸菌数	個/100mL	12	<1	<1	<1	<1	<1	<1	24	10	<1	2	8	5	<1	24
	カドミウム	mg/L		<0.0003			<0.0003					<0.0003	<0.0003		<0.0003	<0.0003	<0.0003
	全シアン	mg/L		<0.1			<0.1					<0.1	<0.1		<0.1	<0.1	<0.1
	鉛	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
健康項目	六価クロム	mg/L		<0.005			<0.005					<0.005	<0.005		<0.005	<0.005	<0.005
	砒素	mg/L		0.001			0.001					0.001	0.001		0.001	0.001	0.001
	総水銀	mg/L		<0.0005			<0.0005					<0.0005	<0.0005		<0.0005	<0.0005	<0.0005
	アルキル水銀	mg/L													-	-	-
健康項目	ポリ塩化ビフェニル	mg/L		<0.0005			<0.0005					<0.0005	<0.0005		<0.0005	<0.0005	<0.0005
	ジクロロメタン	mg/L		<0.002			<0.002					<0.002	<0.002		<0.002	<0.002	<0.002
	四塩化炭素	mg/L		<0.0002			<0.0002					<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
	1,2-ジクロロエタン	mg/L		<0.0004			<0.0004					<0.0004	<0.0004		<0.0004	<0.0004	<0.0004
健康項目	1,1-ジクロロエチレン	mg/L		<0.002			<0.002					<0.002	<0.002		<0.002	<0.002	<0.002
	トリス-1,2-ジクロロエチレン	mg/L		<0.004			<0.004					<0.004	<0.004		<0.004	<0.004	<0.004
	1,1,1-トリクロロエタン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	1,1,2-トリクロロエタン	mg/L		<0.0006			<0.0006					<0.0006	<0.0006		<0.0006	<0.0006	<0.0006
健康項目	トリクロロエチレン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	テトラクロロエチレン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	1,3-ジクロロプロペン	mg/L		<0.0002			<0.0002					<0.0002	<0.0002		<0.0002	<0.0002	<0.0002
	チウラム	mg/L		<0.0006			<0.0006					<0.0006	<0.0006		<0.0006	<0.0006	<0.0006
健康項目	シマジン	mg/L		<0.0003			<0.0003					<0.0003	<0.0003		<0.0003	<0.0003	<0.0003
	チオベンカルブ	mg/L		<0.002			<0.002					<0.002	<0.002		<0.002	<0.002	<0.002
	ベンゼン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
	セレン	mg/L		<0.001			<0.001					<0.001	<0.001		<0.001	<0.001	<0.001
健康項目	硝酸性窒素及び亜硝酸性窒素	mg/L	0.20	<0.06	<0.06	0.17	<0.06	<0.06	<0.06	0.53	0.51	0.76	0.11	0.27	0.24	<0.06	0.76
	亜硝酸性窒素	mg/L	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	0.03	<0.03	<0.03	<0.03	<0.03	0.03	<0.03	0.03
	硝酸性窒素	mg/L	0.17	<0.03	<0.03	0.14	<0.03	<0.03	<0.03	0.50	0.48	0.73	0.08	0.24	0.21	<0.03	0.73
	ふっ素	mg/L		<0.08			0.09					0.08	0.09		0.09	<0.08	0.09
健康項目	ほう素	mg/L		<0.1			<0.1					<0.1	<0.1		<0.1	<0.1	<0.1
	1,4-ジオキサン	mg/L		<0.005			<0.005					<0.005	<0.005		<0.005	<0.005	<0.005
	フェノール類	mg/L		<0.005			<0.005					<0.005	<0.005		<0.005	<0.005	<0.005
	銅	mg/L		<0.01			<0.01					<0.01	<0.01		<0.01	<0.01	<0.01
健康項目	溶解性鉄	mg/L		0.1			<0.1					0.1	<0.1		0.1	<0.1	0.1
	溶解性マンガン	mg/L		0.03			<0.02					0.08	<0.02		0.06	<0.02	0.08
	全クロム	mg/L		<0.02			<0.02					<0.02	<0.02		<0.02	<0.02	<0.02
	アンモニア性窒素	mg/L	0.13	0.05	0.06	0.05	0.07	<0.03	0.07	0.09	0.10	0.09	0.12	0.31	0.10	<0.03	0.31
健康項目	りん酸性りん	mg/L	0.033	0.050	0.026	0.040	0.020	0.061	0.016	0.077	0.068	0.111	0.035	0.034	0.048	0.016	0.111
	塩化物イオン	mg/L	7	8	10	7	9	10	6	9	7	8	8	9	8	6	10
	塩分量	-													-	-	-
	電気伝導率	mS/cm	31	25	25	22	25	31	23	31	27	30	29	34	28	22	34
健康項目	MBAS	mg/L	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
	全有機炭素(TOC)	mg/L	2.6	3.1	3.9	2.8	3.2	2.9	4.4	2.3	2.4	2.2	2.2	2.1	2.8	2.1	4.4
	溶存有機炭素(DOC)	mg/L	2.4	2.9	3.1	2.5	2.9	2.8	4.2	2.0	2.0	1.8	2.1	1.5	2.5	1.5	4.2
	クロロフィルa	μg/L	60	94	67	40	42	36	28	13	57	23	120	27	51	13	120
健康項目	溶解性COD	mg/L	4.0	5.2	5.9	4.8	4.9	6.0	6.1	3.0	2.8	3.1	3.3	3.4	4.4	2.8	6.1
	プランクトン数	個/mL	3,352	17,555	25,170	3,566	43,494	30,686	17,927	6,633	2,519	1,905	17,534	3,618	14,497	1,905	43,494
	トリハロメタン生成能	mg/L													-	-	-
	クロホルム生成能	mg/L													-	-	-
健康項目	ブロキシクロロメタン生成能	mg/L													-	-	-
	ジブロキシクロロメタン生成能	mg/L													-	-	-
	ブromoホルム生成能	mg/L													-	-	-

⑦高滝ダム貯水池（小佐貫橋下流部 下層）

[illegible]

⑧高滝ダム貯水池（生活環境項目の上下層平均）

採水地点(水域名)		加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	加茂橋	平均値	最小値	最大値	75値
採水年月日		H31.4.12	R1.5.9	R1.6.3	R1.7.1	R1.8.1	R1.9.2	R1.10.3	R1.11.20	R1.12.19	R2.1.15	R2.2.26	R2.3.6					
採水位置		上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層				
生	pH	-													-	7.8	9.5	
	DO	mg/L	12.6	12.6	9.6	8.1	10.8	12.9	17.9	10.4	13.8	11.9	17.0	11.9	12.5	8.1	17.9	
活	BOD	mg/L	5.1	3.6	2.4	2.1	2.9	3.0	3.7	1.4	3.2	1.8	3.9	2.7	3.0	1.4	5.1	
	COD	mg/L	5.1	7.1	8.0	6.1	6.9	8.1	7.5	4.1	3.8	3.4	5.6	4.3	5.8	3.4	8.1	7.1
環	SS	mg/L	6	16	10	5	7	13	13	19	5	4	7	10	10	4	19	
	大腸菌群数	MPN/100mL	52	33	28	160	9	33	23	60	23	33	120	28	50	9	160	
境	n-ヘキサン抽出物質	mg/L													-	-	-	
	全窒素	mg/L	1.1	1.0	0.93	0.83	0.58	1.0	0.76	1.0	1.0	1.1	1.0	1.0	0.93	0.58	1.1	
項	全りん	mg/L	0.11	0.15	0.15	0.10	0.094	0.20	0.087	0.097	0.13	0.14	0.12	0.10	0.12	0.087	0.20	
	全亜鉛	mg/L		0.004			0.002					0.002	0.008		0.004	0.002	0.008	
目	重質7.6μmヘンツェン5.0μmの酸及びその塩	mg/L		0.0017								0.0007			0.0012	<0.0006	0.0017	
	ノルフェノール	μg/L	<0.06									<0.06			<0.06	<0.06	<0.06	

採水地点(水域名)		北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	北崎橋	平均値	最小値	最大値	75値
採水年月日		H31.4.12	R1.5.9	R1.6.3	R1.7.1	R1.8.1	R1.9.2	R1.10.3	R1.11.20	R1.12.19	R2.1.15	R2.2.26	R2.3.6					
採水位置		上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層				
生	pH	-													-	7.4	9.5	
	DO	mg/L	11.2	9.0	8.4	6.3	8.4	10.2	9.7	10.0	12.5	11.7	12.3	10.9	10.1	6.3	12.5	
活	BOD	mg/L	4.3	3.6	3.8	2.7	3.0	4.7	3.3	1.4	2.2	1.3	3.1	2.3	3.0	1.3	4.7	
	COD	mg/L	5.2	6.8	8.3	6.4	6.7	10	7.0	3.9	3.7	3.5	4.9	4.1	5.9	3.5	10	6.8
環	SS	mg/L	8	14	15	10	9	23	14	14	8	5	9	8	11	5	23	
	大腸菌群数	MPN/100mL	260	18	28	41	13	36	200	33	15	64	64	28	67	13	260	
境	n-ヘキサン抽出物質	mg/L													-	-	-	
	全窒素	mg/L	1.1	1.2	1.5	1.0	1.1	2.0	0.93	0.92	0.83	1.2	1.1	0.94	1.2	0.83	2.0	
項	全りん	mg/L	0.12	0.25	0.39	0.16	0.22	0.66	0.092	0.091	0.10	0.13	0.097	0.084	0.20	0.084	0.66	
	全亜鉛	mg/L		0.002			0.001					0.001	0.008		0.003	0.001	0.008	
日	重質7686ヘンテン566の酸及びその塩	mg/L													-	-	-	
	ノルフェノール	ug/L													-	-	-	

採水地点(水域名)		小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋	小佐貫橋				
採水年月日		H31.4.12	R1.5.9	R1.6.3	R1.7.1	R1.8.1	R1.9.2	R1.10.3	R1.11.20	R1.12.19	R2.1.15	R2.2.26	R2.3.6	平均値	最小値	最大値	75%値
採水位置		上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層	上下層				
生	pH	-												-	7.8	9.5	
	DO mg/L	11.1	10.4	8.2	8.3	9.4	10.7	10.4	9.2	12.7	12.0	17.4	11.6	11.0	8.2	17.4	
活	BOD mg/L	4.0	2.5	2.1	1.7	3.0	2.1	2.9	1.4	2.5	1.7	4.6	2.1	2.6	1.4	4.6	
	COD mg/L	5.0	6.7	7.4	5.9	7.0	6.8	6.4	3.9	3.7	3.3	5.9	4.0	5.5	3.3	7.4	6.7
環	SS mg/L	5	9	6	3	4	7	4	16	5	3	5	6	6	3	16	
	大腸菌群数 MPN/100mL	15	17	28	120	8	28	82	40	15	23	49	18	37	8	120	
境	n-ヘキサン抽出物質 mg/L													-	-	-	
	全窒素 mg/L	0.96	0.87	0.89	0.75	0.71	0.73	0.83	0.95	0.89	1.1	1.1	0.82	0.88	0.71	1.1	
項	全りん mg/L	0.083	0.12	0.12	0.088	0.087	0.14	0.072	0.088	0.11	0.12	0.10	0.065	0.10	0.065	0.14	
	全亜鉛 mg/L		0.002			0.001					0.001	0.006		0.003	0.001	0.006	
目	直経7φ未満ベンゼン系芳香族及びその塩 μg/L													-	-	-	
	ノルフェナール μg/L													-	-	-	

注) pHについては平均をとらずに、上層と下層を通算して最小値と最大値のみを示す。

エ. 要監視項目

高滝ダム貯水池・養老川・村田川

水域名		高滝ダム貯水池	養老川			村田川	定量下限値 (河川・湖沼)	指針値 (河川・湖沼)
採水地点		加茂橋	持田崎橋	浅井橋	養老大橋	新村田橋		
採水位置		上層	流心	流心	流心	流心		
類型指定		A類型	A類型	B類型	C類型	C類型		
採水年月日		R2.1.15	R2.1.9	R2.1.9	R2.1.9	R2.1.10	-	-
要 監 視 項 目	クロロホルム	mg/L	<0.0006	<0.0006	<0.0006	<0.0006	0.0006	注1)0.06
	トランス-1,2-ジクロロエチレン	mg/L	<0.001	<0.001	<0.001	<0.001	0.001	0.04
	1,2-ジクロロプロパン	mg/L	<0.001	<0.001	<0.001	<0.001	0.001	0.06
	p-ジクロロベンゼン	mg/L	<0.001	<0.001	<0.001	<0.001	0.001	0.2
	イソキサチオン	mg/L	<0.0008	<0.0008	<0.0008	<0.0008	0.0008	0.008
	ダイアジン	mg/L	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	0.005
	フェントチオン(MEP)	mg/L	<0.0003	<0.0003	<0.0003	<0.0003	0.0003	0.003
	イソプロチオラン	mg/L	<0.004	<0.004	<0.004	<0.004	0.004	0.04
	オキシ銅(有機銅)	mg/L	<0.004	<0.004	<0.004	<0.004	0.004	0.04
	クロロニル(TPN)	mg/L	<0.005	<0.005	<0.005	<0.005	0.005	0.05
	プロピサミド	mg/L	<0.0008	<0.0008	<0.0008	<0.0008	0.0008	0.008
	EPN	mg/L	<0.0006	<0.0006	<0.0006	<0.0006	0.0006	0.006
	ジクロロホス(DDVP)	mg/L	<0.0008	<0.0008	<0.0008	<0.0008	0.0008	0.008
	フェノカルブ(BPMC)	mg/L	<0.003	<0.003	<0.003	<0.003	0.003	0.03
	イプロホス(IBP)	mg/L	<0.0008	<0.0008	<0.0008	<0.0008	0.0008	0.008
	クロルピロフェン(CNP)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	-
	トルエン	mg/L	<0.001	<0.001	<0.001	<0.001	0.001	0.6
	キシレン	mg/L	<0.001	<0.001	<0.001	<0.001	0.001	0.4
	フタル酸ジエチルヘキシル	mg/L	<0.006	<0.006	<0.006	<0.006	0.006	0.06
	ニッケル	mg/L	<0.001	<0.001	<0.001	<0.001	0.001	-
要 監 視 項 目	モリブデン	mg/L	<0.007	<0.007	<0.007	<0.007	0.007	0.07
	アンチモン	mg/L	<0.002	<0.002	<0.002	<0.002	0.002	0.02
	塩化ビニルモノマー	mg/L	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.002
	エピクロロヒドリン	mg/L	<0.00004	<0.00004	<0.00004	<0.00004	0.00004	0.0004
	全マンガン	mg/L	0.16	0.02	0.08	0.06	0.08	0.2
	ウラン	mg/L	<0.0002	<0.0002	<0.0002	0.0003	0.0004	0.002
	フェノール	mg/L	<0.001			<0.001	<0.001	注2)0.01
	ホルムアルデヒド	mg/L	<0.1			<0.1	<0.1	注2)1
	4-tert-オクチフェノール	mg/L	<0.00007			<0.00007	<0.00007	注2)0.0007
	アニリン	mg/L	<0.002			<0.002	<0.002	注2)0.02
目	2,4-ジクロロフェノール	mg/L	<0.0003			<0.0003	<0.0003	注2)0.003

注1) 生物特A(河川及び湖沼)の指針値は、0.006mg/Lである。

注2) 生物特A(河川及び湖沼)の指針値を示す。